






UP TO 25 GPM (94.6 LPM) MAX FLOW


## PARTICULATE REMOVING

Part Number	40502P	40505P	40510P	40530P
Media Type	Cellulose	Cellulose	Cellulose	Cellulose
Micron Rating				
Flow	3/4"	3/4"	3/4"	3/4"
Gasket Material	Buna N	Buna N	Buna N	Buna N

Fuel Compatibility: NG, EB, D, BD, ULSD, K, FO





3.70"W




5.36"L

UP TO 25 GPM (94.6 LPM) MAX FLOW


## PARTICULATE REMOVING & WATER SENSING

Part Number	40510W	40530W
Media Type	Cellulose with Super Absorbent Media	Cellulose with Super Absorbent Media
Micron Rating		
Flow	3/4"	3/4"
Gasket Material	Buna N	Buna N

Fuel Compatibility: NG, D, BD, ULSD, K, FO



3.70"W



5.36"L

### FUEL COMPATIBILITY LEGEND:

NOT FOR USE WITH AVIATION APPLICATIONS

NG = Neat Gasoline    E85 = E85    BD = Biodiesel    EB = Ethanol Blends up to 15%    SF = Synthetic Fluids  
K = Kerosene    D = Diesel    ULSD = Ultra Low Sulfur Diesel    FO = Fuel Oils




# 405 A

FUEL DISPENSER FILTERS 1"-12 UNF THREAD

CRA<sup>®</sup> US  
E0-85 B0-100

UP TO 25 GPM (94.6 LPM) MAX FLOW

**PARTICULATE REMOVING & PHASE SEPARATION DETECTION**

Part Number	40510A	40530A	
Media Type	Cellulose with Chemical Core	Cellulose with Chemical Core	
Micron Rating			
Flow	3/4"	3/4"	
Gasket Material	Buna N	Buna N	

Fuel Compatibility: EB




# 405 D

FUEL DISPENSER FILTER 1"-12 UNF THREAD

CRA<sup>®</sup> US  
E0-85 B0-100

UP TO 25 GPM (94.6 LPM) MAX FLOW

**PARTICULATE REMOVING, PHASE SEPARATION DETECTION & WATER SENSING**

Part Number	40510D	40530D	
Media Type	Cellulose with Super Absorbent Media and Chemical Core	Cellulose with Super Absorbent Media and Chemical Core	
Micron Rating			
Flow	3/4"	3/4"	
Gasket Material	Buna N	Buna N	

Fuel Compatibility: NG, EB, ULSD, BD, D

**FUEL COMPATIBILITY LEGEND:**

NOT FOR USE WITH AVIATION APPLICATIONS







NG = Neat Gasoline    E85 = E85    BD = Biodiesel    EB = Ethanol Blends up to 15%    SF = Synthetic Fluids  
 K = Kerosene    D = Diesel    ULSD = Ultra Low Sulfur Diesel    FO = Fuel Oils

# 405 P-AD

FUEL DISPENSER FILTERS 1.5"-16 UNF THREAD

UP TO 25 GPM (94.6 LPM) MAX FLOW

## PARTICULATE REMOVING

Part Number	40502P-AD	40505P-AD	40510P-AD	40530P-AD	 3.70"W  5.36"L
Media Type	Cellulose	Cellulose	Cellulose	Cellulose	
Micron Rating					
Flow	1"	1"	1"	1"	
Gasket Material	Buna N	Buna N	Buna N	Buna N	






Fuel Compatibility: NG, EB, D, BD, ULSD, K, FO

# 405 W-AD

FUEL DISPENSER FILTERS 1.5"-16 UNF THREAD

UP TO 25 GPM (94.6 LPM) MAX FLOW

## PARTICULATE REMOVING & WATER SENSING

Part Number	40505W-AD	40510W-AD	40530W-AD	 3.70"W  5.36"L
Media Type	Cellulose with Super Absorbent Media	Cellulose with Super Absorbent Media	Cellulose with Super Absorbent Media	
Micron Rating				
Flow	1"	1"	1"	
Gasket Material	Buna N	Buna N	Buna N	

Fuel Compatibility: NG, D, BD, ULSD, K, FO

### FUEL COMPATIBILITY LEGEND:

NOT FOR USE WITH AVIATION APPLICATIONS

NG = Neat Gasoline    E85 = E85    BD = Biodiesel    EB = Ethanol Blends up to 15%    SF = Synthetic Fluids  
 K = Kerosene    D = Diesel    ULSD = Ultra Low Sulfur Diesel    FO = Fuel Oils





# 405 A-AD

FUEL DISPENSER FILTERS 1.5"-16 UNF THREAD

**CA**® US  
E0-85 B0-100

UP TO 25 GPM (94.6 LPM) MAX FLOW

## PARTICULATE REMOVING & PHASE SEPARATION DETECTION

Part Number	40510A-AD	40530A-AD	 3.70"W  5.36"L
Media Type	Cellulose with Chemical Core	Cellulose with Chemical Core	
Micron Rating			
Flow	1"	1"	
Gasket Material	Buna N	Buna N	

Fuel Compatibility: EB





# 405 D-AD

FUEL DISPENSER FILTER 1.5"-16 UNF THREAD

**CA**® US  
E0-85 B0-100

UP TO 25 GPM (94.6 LPM) MAX FLOW

## PARTICULATE REMOVING, PHASE SEPARATION DETECTION & WATER SENSING

Part Number	40510D-AD	40530D-AD	 3.70"W  5.36"L
Media Type	Cellulose with Super Absorbent Media and Chemical Core	Cellulose with Super Absorbent Media and Chemical Core	
Micron Rating			
Flow	1"	1"	
Gasket Material	Buna N	Buna N	

Fuel Compatibility: NG, EB, D, BD, ULSD

### FUEL COMPATIBILITY LEGEND:

NOT FOR USE WITH AVIATION APPLICATIONS





NG = Neat Gasoline    E85 = E85    BD = Biodiesel    EB = Ethanol Blends up to 15%    SF = Synthetic Fluids  
 K = Kerosene    D = Diesel    ULSD = Ultra Low Sulfur Diesel    FO = Fuel Oils

# 405 PA

AGRICULTURE FILTERS 1.375"-12 UNF THREAD

UP TO 25 GPM (94.6 LPM) MAX FLOW

## PARTICULATE REMOVING

Part Number	40510PA	40530PA	 3.70"W  5.36"L
Media Type	Cellulose	Cellulose	
Micron Rating			
Flow	1"	1"	
Gasket Material	Buna N	Buna N	





Fuel Compatibility: NG, EB, D, BD, ULSD, K, FO

# 405 WA

AGRICULTURE FILTERS 1.375"-12 UNF THREAD

UP TO 25 GPM (94.6 LPM) MAX FLOW

## PARTICULATE REMOVING & WATER SENSING

Part Number	40510WA	40530WA	 3.70"W  5.36"L
Media Type	Cellulose with Super Absorbent Media	Cellulose with Super Absorbent Media	
Micron Rating			
Flow	1"	1"	
Gasket Material	Buna N	Buna N	

Fuel Compatibility: NG, D BD, ULSD, K, FO

### FUEL COMPATIBILITY LEGEND:

NOT FOR USE WITH AVIATION APPLICATIONS

NG = Neat Gasoline    E85 = E85    BD = Biodiesel    EB = Ethanol Blends up to 15%    SF = Synthetic Fluids  
 K = Kerosene    D = Diesel    ULSD = Ultra Low Sulfur Diesel    FO = Fuel Oils