





409 P

FUEL DISPENSER FILTERS 1"-12 UNF THREAD



UP TO 25 GPM (94.6 LPM) MAX FLOW

PARTICULATE REMOVING — EXTENDED LIFE

Part Number	40910P	40930P	
Media Type	Cellulose	Cellulose	
Micron Rating			3.70"W
Flow	3/4"	3/4"	 8.60"L
Gasket Material	Buna N	Buna N	

Fuel Compatibility: NG, EB, D, BD, ULSD, K, FO

FUEL DISPENSER / AGRICULTURE

HIGH VOLUME





409 W

FUEL DISPENSER FILTERS 1"-12 UNF THREAD



UP TO 25 GPM (94.6 LPM) MAX FLOW

PARTICULATE REMOVING & WATER SENSING — EXTENDED LIFE

Part Number	40910W	40930W	
Media Type	Cellulose with Super Absorbent Media	Cellulose with Super Absorbent Media	
Micron Rating			3.70"W
Flow	3/4"	3/4"	 8.60"L
Gasket Material	Buna N	Buna N	

Fuel Compatibility: NG, D, BD, ULSD, K, FO

REPLACEMENT ELEMENTS

ACCESSORIES

DEF

FUEL COMPATIBILITY LEGEND:

NOT FOR USE WITH AVIATION APPLICATIONS





NG = Neat Gasoline E85 = E85 BD = Biodiesel EB = Ethanol Blends up to 15% SF = Synthetic Fluids
 K = Kerosene D = Diesel ULSD = Ultra Low Sulfur Diesel FO = Fuel Oils

409 P-AD

FUEL DISPENSER FILTERS 1.5"-16 UNF THREAD

UP TO 25 GPM (94.6 LPM) MAX FLOW

PARTICULATE REMOVING — EXTENDED LIFE





Part Number	40910P-AD	40930P-AD	
Media Type	Cellulose	Cellulose	
Micron Rating			
Flow	1"	1"	
Gasket Material	Buna N	Buna N	
	Fuel Compatibility: NG, EB, D, BD, ULSD, K, FO		 3.70"W  8.6"L

409 W-AD

FUEL DISPENSER FILTERS 1.5"-16 UNF THREAD

UP TO 25 GPM (94.6 LPM) MAX FLOW

PARTICULATE REMOVING & WATER SENSING — EXTENDED LIFE

Part Number	40910W-AD	40930W-AD	
Media Type	Cellulose with Super Absorbent Media	Cellulose with Super Absorbent Media	
Micron Rating			
Flow	1"	1"	
Gasket Material	Buna N	Buna N	
	Fuel Compatibility: NG, D, BD, ULSD, K, FO		 3.70"W  8.6"L

FUEL COMPATIBILITY LEGEND:

NOT FOR USE WITH AVIATION APPLICATIONS

NG = Neat Gasoline E85 = E85 BD = Biodiesel EB = Ethanol Blends up to 15% SF = Synthetic Fluids
 K = Kerosene D = Diesel ULSD = Ultra Low Sulfur Diesel FO = Fuel Oils





409 PA

AGRICULTURE FILTERS 1.375"-12 UNF THREAD



UP TO 25 GPM (94.6 LPM) MAX FLOW

PARTICULATE REMOVING — EXTENDED LIFE

Part Number	40910PA	40930PA	
Media Type	Cellulose	Cellulose	 3.70"W  8.60"L
Micron Rating			
Flow	1"	1"	
Gasket Material	Buna N	Buna N	
Fuel Compatibility: NG, EB, D, BD, ULSD, K, FO			





409 WA

AGRICULTURE FILTERS 1.375"-12 UNF THREAD



UP TO 25 GPM (94.6 LPM) MAX FLOW

PARTICULATE REMOVING & WATER SENSING — EXTENDED LIFE

Part Number	40910WA	40930WA	
Media Type	Cellulose with Super Absorbent Media	Cellulose with Super Absorbent Media	 3.70"W  8.60"L
Micron Rating			
Flow	1"	1"	
Gasket Material	Buna N	Buna N	
Fuel Compatibility: NG, D, BD, ULSD, K, FO			

FUEL COMPATIBILITY LEGEND:

NOT FOR USE WITH AVIATION APPLICATIONS

NG = Neat Gasoline E85 = E85 BD = Biodiesel EB = Ethanol Blends up to 15% SF = Synthetic Fluids
 K = Kerosene D = Diesel ULSD = Ultra Low Sulfur Diesel FO = Fuel Oils